

What You Need to Know When Your Child is Prescribed an Antibiotic

Your healthcare team has prescribed antibiotics for your child because they think they may have an infection, or another condition which requires antibiotics. Some infections can be treated with antibiotics, which are powerful medications that kill bacteria and can save lives. Like all medications, antibiotics have side effects and should only be used when necessary. Your doctor thinks the benefits of antibiotics outweigh the potential risks at this time.

What are some questions to ask my doctor about antibiotics?

As a parent or caregiver, it is important to understand your child's antibiotic treatment. Here are some important questions to ask your healthcare team if you haven't already been told the answers:

- What infection or condition is this antibiotic treating and how do you know my child has that infection or condition?
- What side effects might occur from this antibiotic?
- How long will my child need to take this antibiotic?
- Is it safe to take this antibiotic with other medications or supplements (e.g., vitamins) that my child is taking?
- Are there any special directions I need to know about taking this antibiotic? For example, should it be taken with food?
- How will my child be monitored to know whether their infection or condition is responding to the antibiotic?

Will my child have side effects from the antibiotic?

They might. One of the most common side effects of nearly all antibiotics is diarrhea. Usually this is not severe, but occasionally diarrhea can be caused by a bacteria called *Clostridium difficile (C. difficile,* often shortened to "*C. diff*").

This occurs because antibiotics destroy some of the normal, helpful bacteria in the gut. This allows the *C. difficile* to take over, and puts patients at high risk for this serious infection.

Another common side effect of antibiotics is an allergic reaction. A rash is most common, but some reactions can be more serious. Not all rashes are allergies, though, so it is important to discuss with your doctor if this occurs. The most serious reactions include hives (itchy red patches with pale swelling on top), lip, tongue or throat swelling, wheezing or difficulty breathing, or vomiting.

When should I call my doctor?

Most diarrhea caused by antibiotics is not infectious and should not cause concern. But, you should let your healthcare team know **right away** if your child **develops watery stool three or more times or more per day** while taking an antibiotic, because that may be a sign of a *C. difficile* infection. The risk of getting *C. difficile* diarrhea is highest during the first month, but can last for up to three months after you stop taking antibiotics. Let your healthcare team know if your child develops watery diarrhea even after they stop taking an antibiotic.

Call your doctor if your child develops a rash or other sign of a reaction while taking an antibiotic.

Call 911 to get help immediately if your child:

- develops lip, tongue or throat swelling
- is wheezing or has difficulty breathing
- is unresponsive

Remember, antibiotics are life-saving drugs and they need to be used properly. It is important to take your antibiotics exactly as prescribed. If you have any questions about your antibiotics, please talk to your healthcare team.

Disclaimer: This document contains information and/or instructional materials developed by Michigan Medicine for the typical patient with your condition. It may include links to online content that was not created by Michigan Medicine and for which Michigan Medicine does not assume responsibility. It does not replace medical advice from your health care provider because your experience may differ from that of the typical patient. Talk to your health care provider if you have any questions about this document, your condition or your treatment plan.

Adapted from CDC. *You've Been Prescribed an Antibiotic Now What?* Access at: https://www.cdc.gov/getsmart/healthcare/pdfs/16_265926_antibioticfactsheet_v7_508-final.pdf

Patient Education by <u>Michigan Medicine</u> is licensed under a <u>Creative Commons</u> <u>Attribution-NonCommercial-ShareAlike 3.0 Unported License</u>. Last Revised 11/2017